IN THE CLAIMS

Please cancel claims 1, 4, and 13.

Please amend claims 2, 3, 5, 7, 8, 10, 11, 12, 14, 15, 16, 17, 18, and 21 as indicated below.

- 1. (Canceled).
- 2. (Currently Amended) The method of claim 4 3, wherein said program is stored on said storage device as it is received, wherein detecting said first interactive application comprises detecting said first interactive application is available from an interactive application data stream of said program during said playback.
- 3. (Currently Amended) The A method of claim 1 comprising:

 receiving a broadcast signal, wherein said broadcast signal contains a program

 and wherein said program contains one or more interactive applications;

 storing said program on a storage device;

 initiating playback of said program from said storage device; and

 launching a first interactive application of said one or more interactive

 applications in response to detecting said first interactive application

 during said playback of said program;
 - wherein storing said program includes storing an interactive application data stream of said program, wherein said storing of said data stream comprises extracting from said program one or more data objects and storing said data objects on said storage device as a set of files, wherein initiating playback of said data stream comprises retrieving one or more of said set of files from said storage device and wherein detecting said one of said one or more interactive applications comprises comparing a validity range associated with said one of said one or more applications to a current

playback index and determining that said current playback index is within said validity range.

- 4. (Canceled).
- 5. (Currently Amended) The A method of claim 4 comprising:

providing a program stored on a storage device, wherein said program contains an interactive application;

initiating playback of said program from said storage device;

launching said interactive application;

initiating a special play mode of said program;

conveying a notification signal to said interactive application during said special play mode;

further comprising:

initiating a special play mode of said program wherein during said special play mode, a current playback index changes from a first value to a second value;

determining whether events affecting the state of said interactive application would have been encountered in a normal play mode between said first value and said second value;

generating signals corresponding to said events; and conveying said signals to said application.

- 6. (Original) The method of claim 5 wherein said signals are generated sequentially according to the order of said corresponding events in a normal play mode.
- 7. (Currently Amended) The method of claim [[4]] 5 wherein one or more of said notification signals are selected from the group consisting of: application kill signals; application launch signals; application pause signals; application resume signals; trick mode start notifications; trick mode end notifications; seek notifications; module notifications; trigger notifications; and accelerated version notifications.

- 8. (Currently Amended) The method of claim [[4]] 5 further comprising said interactive application receiving an indication of a current position in said program and setting the internal state of said interactive application to correspond to said current position.
- 9. (Original) The method of claim 8 wherein said application receives said indication of said current position in said program while said program is in said special play mode.
- 10. (Currently Amended) The method of claim [[4]] 5 further comprising: initiating a special play mode of said program; conveying a kill signal to said interactive application in said program; terminating said special play mode; and launching an alternative interactive application in response to detecting said alternative interactive application is available.
- 11. (Currently Amended) The <u>A</u> method of claim 4 further comprising said interactive application:

providing a program stored on a storage device, wherein said program contains an interactive application;

initiating playback of said program from said storage device;

launching said interactive application;

initiating a special play mode of said program;

conveying a notification signal to said interactive application during said special play mode;

indicating to a receiver on which said interactive application is executing whether said interactive application is configured to operate when a <u>said</u> special play mode is initiated;

- notifying said interactive application of said special play mode in response to detecting said interactive application is configured to operate during said special play mode; and
- terminating said interactive application when said special play mode is used in response to detecting said interactive application is not configured to operate during said special play mode.
- 12. (Currently Amended) The method of claim [[4]] 11 further comprising: broadcasting said program; receiving said program; and storing said program on said storage device.
- 13. (Canceled).
- 14. (Currently Amended) The device of claim 13 16 wherein said receiver is configured to be coupled to an interactive television system; wherein said receiver is configured to receive said program data from said interactive television system; and wherein said receiver is configured to store said program data in said storage device.
- 15. (Currently Amended) The device of claim 13 16 wherein said storage device is configured to store said program data stream as it is received; wherein said receiver is configured to receive said data stream and to determine when said one or more interactive applications are available in said data stream; and wherein said receiver is configured to launch said one or more interactive applications, in response to detecting said one or more interactive applications are available.
- 16. (Currently Amended) The A device of claim 13 comprising:

 a receiver; and

 a storage device coupled to said receiver; wherein said storage device is

 configured to store a program data stream including one or more

interactive application data streams and to provide said program data stream to said receiver for playback;

wherein said receiver is configured to detect and launch said one or more interactive applications; and

wherein said storage device is configured to store said program data stream as a set of files; wherein said receiver is configured to retrieve one of said set of files containing interactive applications; wherein said receiver is configured to compare validity ranges associated with said interactive applications to a current playback index; and wherein said receiver is configured to launch ones of said interactive applications for which said associated validity range includes said current playback index.

17. (Currently Amended) The <u>A</u> device of claim 13 comprising: a receiver; and

- a storage device coupled to said receiver; wherein said storage device is

 configured to store a program data stream including one or more

 interactive application data streams and to provide said program data

 stream to said receiver for playback;
- wherein said receiver is configured to detect and launch said one or more interactive applications; and

wherein said receiver is configured to play back said program using a special playback mode between a first playback index and a second playback index; wherein said receiver is configured to determine whether one or more events affecting the state of said program would be encountered in a normal playback mode between said first playback index and said second playback index; wherein if said one or more events would be encountered in said normal playback mode, said receiver is configured to generate one or more signals indicative of said one or more events and to provide said one or more signals to said program.

- 18. (Currently Amended) The A device of claim 13 comprising: a receiver; and
 - a storage device coupled to said receiver; wherein said storage device is

 configured to store a program data stream including one or more
 interactive application data streams and to provide said program data
 stream to said receiver for playback;
 - wherein said receiver is configured to detect and launch said one or more interactive applications; and
 - wherein said receiver is configured to receive a notification from a first interactive application of said one or more interactive applications indicating whether said first interactive application is configured to operate in special playback modes; wherein if said first interactive application is configured to operate in special playback modes, said receiver is configured to provide a notification of said special playback mode to said first interactive application when said special playback mode is used; and wherein if said first interactive application is not configured to operate in special playback modes, said receiver is configured to terminate said first interactive application when said special playback mode is used.
- 19. (Original) The device of claim 18 wherein when use of said special playback mode is stopped, said receiver is configured to restart said first interactive application.
- 20. (Original) The device of claim 19 wherein said receiver is configured to restart said first interactive application by extracting said first interactive application from a data stream.
- 21. (Currently Amended) The device of claim 13 16 wherein said receiver is configured to receive an indication from one of said one or more applications which indicates that a special playback mode can be used by said receiver.